


NEW
SMART
MARBLE



1200x1600
mm





INTRODUCTION

Our "i-slab SLIM" Tiles, The category of homogeneous products, "Color Body" is widely appreciated by Architects and interior Designers due to its versatile uses and applications.

This series is our most exciting series of homogeneous products yet. The beauty of products is the result of innovative and exclusive technology.

The collection consists of three sophisticated designs each. All designs are available in a glossy finish.

1200 x 1600 mm

15 MM
THICKNESS



HIGHLY UV
RESISTANT



FROST
RESISTANT



LIGHTWEIGHT

SCRATCH
RESISTANT



FIREPROOF

WATER
RESISTANT



FEATURES



EASY TO CLEAN



CHEMICAL
RESISTANT

STAINS
RESISTANT



NATURE FREINDLY



APPLICATIONS



AIRPORT



DISCOTHEQUES



INDUSTRIES



PUBS & BARS



GYMNASIUMS



RELIGIOUS PLACES



HOTELS



CORRIDORS
HALLS



SCHOOLS



DOMESTIC



SUPER MARKET



OFFICE




INSPIRED BY NATURE

1200x1600 mm

↓ **15 mm** Thickness

ARABESCATO GOLD



Color Palette:

Body Color: **WHITE**

Applications :




SMART MARBLE

INSPIRED BY NATURE


1200x1600 mm

↓ 15 mm Thickness

Applications :




ACRON GREY



Glossy Finish

Color Palette:

Body Color: **GREY**



INSPIRED BY NATURE

1200x1600 mm

↓ 15 mm Thickness

Applications :



ARMANI BEIGE



Glossy Finish

Color Palette:

Body Color: **CREAM**



SMART MARBLE

INSPIRED BY NATURE

1200x1600 mm

↓ 15 mm Thickness

Applications :



BOTTOCHINO



Glossy Finish

Color Palette:

Body Color: **CREAM**



INSPIRED BY NATURE


1200x1600 mm

↓ 15 mm Thickness

Applications :



ARMANI GREY



Glossy Finish

Color Palette:

Body Color: **GREY**





INSPIRED BY NATURE

1200x1600 mm

↓ **15 mm** Thickness ↑

BLUE PEARL



Applications :



Color Palette:

Body Color: **BLACK**




INSPIRED BY NATURE

1200x1600 mm

↓ **15 mm** Thickness

BRECCIA AURORA



Color Palette:

Body Color: **CREAM**

Applications :



INSPIRED BY NATURE

1200x1600 mm

↓ **15 mm** Thickness

BRECCIA SILVER



Applications :



Color Palette:

Body Color: **GREY**



SMART MARBLE

INSPIRED BY NATURE

1200x1600 mm

↓ 15 mm Thickness

Applications :



BRECCIA ONICIATA



Glossy Finish

Color Palette:

Body Color: **CREAM**



INSPIRED BY NATURE

1200x1600 mm

↓ 15 mm Thickness

Applications :



BRONZETTO BEIGE



Glossy Finish

Color Palette:

Body Color: **CREAM**



SMART MARBLE

INSPIRED BY NATURE

1200x1600 mm

↓ 15 mm Thickness

Applications :



CLASSIC DYNA



INSPIRED BY NATURE

1200x1600 mm

↓ 15 mm Thickness

Applications :




BRONZETTO GREY



Glossy Finish

Color Palette:

Body Color: **GREY**



Glossy Finish

Color Palette:

Body Color: **CREAM**



SMART MARBLE

INSPIRED BY NATURE

1200x1600 mm

↓ ↑ **15 mm** Thickness

Applications :



DANISH CREAM



Glossy Finish

Color Palette:

Body Color: **CREAM**

INSPIRED BY NATURE

1200x1600 mm

↓ ↑ **15 mm** Thickness

Applications :



DYNO ROYAL



Glossy Finish

Color Palette:

Body Color: **CREAM**



SMART MARBLE



INSPIRED BY NATURE

1200x1600 mm
↓ ↑ **15 mm** Thickness


Applications :




FOREST GREEN



Glossy Finish

Color Palette: 
Body Color: **BLACK**





INSPIRED BY NATURE

1200x1600 mm
↓ ↑ **15 mm** Thickness

Applications :




LEVIN NATURAL



Glossy Finish

Color Palette: 
Body Color: **WHITE**



SMART MARBLE

INSPIRED BY NATURE

1200x1600 mm

↓ 15 mm Thickness

Applications :



MARMI BRECCIA



Glossy Finish

Color Palette:

Body Color: **CREAM**



INSPIRED BY NATURE

1200x1600 mm

↓ 15 mm Thickness

Applications :



NOVANA BEIGE



Glossy Finish

Color Palette:

Body Color: **CREAM**



SMART MARBLE

INSPIRED BY NATURE


1200x1600 mm

↓ ↑ **15 mm** Thickness

Applications :



PORTORO BLACK



INSPIRED BY NATURE


1200x1600 mm

↓ ↑ **15 mm** Thickness

Applications :




NOVANA GREY



Glossy Finish

Color Palette:


Body Color: **GREY**



Glossy Finish

Color Palette:

Body Color: **BLACK**




INSPIRED BY NATURE

1200x1600 mm

↓ **15 mm** Thickness ↑

SEAMLESS STATUARIO



Color Palette: 

Body Color: **WHITE**

Applications :



SMART MARBLE

INSPIRED BY NATURE

1200x1600 mm

↓ ↑ **15 mm** Thickness

Applications :




STATUARIO GOLD



Glossy Finish

Color Palette:

Body Color: **WHITE**



INSPIRED BY NATURE

1200x1600 mm

↓ ↑ **15 mm** Thickness

Applications :



STATUARIO PEARL



Glossy Finish

Color Palette:

Body Color: **WHITE**



SMART MARBLE

INSPIRED BY NATURE

1200x1600 mm

↓ ↑ **15 mm** Thickness

Applications :



TERRAZZO BEIGE



Glossy Finish

Color Palette:

Body Color: **CREAM**



INSPIRED BY NATURE

1200x1600 mm

↓ ↑ **15 mm** Thickness

Applications :



TRAVENTINO ROYAL



Glossy Finish

Color Palette:

Body Color: **CREAM**



INSPIRED BY NATURE

1200x1600 mm

± 15 mm Thickness

Applications:



TROPICANA CREMA



Glossy Finish

Color Palette:

Body Color: **CREAM**

INSPIRED BY NATURE


1200x1600 mm

± 15 mm Thickness

Applications:



TROPICANA WHITE



Glossy Finish

Color Palette:

Body Color: **WHITE**

INSPIRED BY NATURE

1200x1600 mm

↓ **15 mm** Thickness

WILLIAM GREY



Color Palette:

Body Color: **GREY**

Applications :



TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
-----------------	---	--------	-------------

REGULATORY PROPERTIES

Deviation in Length & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter

STRUCTURAL PROPERTIES

Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 ⁻⁶	Max 6.5x10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11

CHEMICAL PROPERTIES

Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

SAFETY PROPERTIES

Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAILS

TILE SIZE	THICKNESS (approx.)	NO.OF TILES/BOX	WEIGHT/BOX (approx.)	COVERAGE AREA
1200 X 1600	15 MM	1 Pcs	70kg	20.67 Sq. Ft.